Public Document Pack Shropshire

Date: Friday, 23 October 2015

Time: 9.30 am

Venue: Shrewsbury Room, Shirehall, Abbey Foregate, Shrewsbury, Shropshire, SY2 6ND

Contact: Karen Nixon, Committee Officer Tel: 01743 257720 Email: karen.nixon@shropshire.gov.uk

### HEALTH AND WELLBEING BOARD

### **TO FOLLOW REPORT (S)**

### 6 PREVENTION, WINTER PRESSURES & JOINT PLANNING (Pages 1 - 22)

- Housing and Adult Social Care, including Heatsavers (Andy Begley paper)
- Immunisation update (Irfan Ghani presentation)



www.shropshire.gov.uk General Enquiries: 0845 678 9000 This page is intentionally left blank

#### Matters Arising from 27<sup>th</sup> March 2015 Heatsavers - Shropshire Evaluation

Contact Andy Begley, Head of Adult Social Care Operations tel 01743 252421 Additional documents: 8 Appendix report on Heatsavers as a preventative measure in Shropshire Minutes:

A report on the Heatsavers Research Project was introduced and amplified by the Project Lead Officer - copy attached to the signed minutes. In doing so, the links between poor housing and poor health and how Heatsavers helped people claim the correct benefits were highlighted.

In relation to a question about bulk buying of oil for areas of the county where mains gas did not exist, it was explained that most Parish Councils ran such schemes. Mrs Shineton said that the Shropshire Association of Local Councils would be best placed to conduct a survey across the county if required. The Chair welcomed this and thanked Mrs Shineton for her suggestion.

It was agreed that the Heatsavers work was helpful as a needs assessment and that it should sit within the Board's preventive agenda, coming within the Better Care Fund work, which was logical. The cross-cutting nature of the problem was noted too.

#### **RESOLVED:**

a) That the content of the Heatsavers report be noted.

*b)* That the Heatsavers Scheme should form part of the Health and Wellbeing Board's Prevention Strategy.

c) That the Heatsavers Scheme which links into Health and Wellbeing work, would be taken forward by the Health and Wellbeing Delivery Group

*d)* That a progress report be made back to the next Health and Wellbeing Board meeting with regard to a timeframe on implementing the above.

*e)* That a bulk buying fuel survey be developed by Housing for distribution by Shropshire Association of Local Councils.

#### HeatSavers Update October HWBB 2015

Moving forward HeatSavers continues to attract funding for the coming winter, including matchfunding from WarmZones, a community interest company offering assistance to low income vulnerable households with energy efficiency measures and effective heating

Following an additional £20,000 contribution to Heatsavers from Public Health, WarmZones have committed to match funding of £30,000 for Heatsaver cases in areas of Shropshire covered by the Carbon Saving Community Obligation (CSCO), aimed at tackling affordable warmth and carbon saving for the most vulnerable households and those in the most deprived areas. This equates to about 50% of prospective referrals to Heatsavers. The WarmZones partner arrangement provides a full energy assessment of the property, free Energy Performance Certification (EPC), approved contractors to PAC2030 standard, and 50% funding for provision of effective heating systems. Where there is insufficient loft insulation or cavity wall insulation in a property they will install at no cost to the householder or Shropshire Council.

Where referrals to HeatSavers do not qualify for WarmZones (i.e. not in a CSCO area of Shropshire), they will be funded through the HeatSavers Emergency Heating Grant with match-funding from the Local Support and Prevention Fund, and npower Health Through Warmth as per previous cases.

#### **Bulk Buying Fuel Scheme**

Shropshire RCC operates a Community Fuel Buying Scheme

At the moment the scheme has members all over Shropshire. The main gap is the Clun area where a large locally organised oil scheme already operates.

The scheme is promoted through the following:

- Local volunteer coordinators
- Parish and local Newsletters
- Press Articles
- Twitter etc. @fuelbuying
- Local events

The areas below have the highest number of members:-

Billingsley Alveley Bridgnorth Cleobury Mortimer Church Stretton Cound Munslow Knowbury Whitchurch Ellesmere Oswestry Rural Market Drayton

Currently in talks with a forest manager to add wood fuel/logs to the scheme.

The scheme offers a Save and Pay scheme in association with Just Credit Union for those struggling financially. Please see leaflet attached.

Information above supplied by Elizabeth Thain, Membership Development Officer- Fuel Buying Scheme, 01743 342 167. (29/9/15)

#### People can join online: http://www.shropshire-rcc.org.uk/services/individuals/oil-buying-scheme/

#### From the leaflet

Joining together with neighbours to buy heating oil makes sense for everyone. Customers get a better price, oil companies can organise deliveries more efficiently, and fewer tanker journeys reduces the negative environmental impact.

Shropshire RCC organises the largest bulk oil buying scheme in Shropshire and we have helped local people save many thousands of pounds since we started in September 2011. We have over 700 members all over the county

### Oil

Once a month we collate oil orders from right across Shropshire on a specified date.

- We contact the oil companies to ask for their best price for a bulk order (typically 100,000 litres a month).
- We tell you the price and the expected date of delivery.
- You pay the supplier direct for the oil they deliver.

Oil Order Deadlines 2015 are by 12 Noon on the following dates: Tuesday 20th October Tuesday 24th November

#### LPG

We can now offer our members exclusive access to low LPG rates.

Please contact us on 01743 342167 to find out if you can switch.

To take advantage of our buying power you have to be a member. Annual Membership fees help to cover our admin costs and are kept as low as possible. You can order as many times as you wish during your membership year.

Current membership fees are:

- £24 inc VAT Domestic annual membership
- £36 inc VAT Community Building annual membership
- £120 inc VAT Business annual membership

This page is intentionally left blank




# Immunisation

# **Shropshire Profile**









#### -

Immunising primary school children against flu Aquit yake for fastificare team - school mure team, increased to team of commonly plantaments and general pratices - working with relocal

NHS





NHS

Helping stop you getting flu: Information for people with learning disability



Page 5



## **DELIVERY MODEL**

### COMMISSIONERS

- NHS England North Midlands

### PROVIDERS

- Primary care
- Shropshire Community Health NHS Trust Immunisation Team
- Pharmacies

### **QUALITY ASSURANCE**

- Local Authority – Public health



### **UK IMMUNISATION SCHEDULE**

| The rout   | tine immunisatior   | n schedule                                   | from sur                           | nmer 2015                   |  |
|--|---|--|------------------------------------|-----------------------------|--|
| Age due  | Diseases protected against  | Vaccine given an                             | d trade name                       | Usual site <sup>1</sup>     |  |
|  | Diphtheria, tetanus, pertussis (whooping<br>cough), polio and Haemophilus<br>Influenzae type b (Hib)                    | DTaP/IPV/HIb                                 | Pediacel or<br>Infanrix IPV Hib    | Thigh                       |  |
| Two months old   | Pneumococcal (13 serotypes)   | Pneumococcal conjugate<br>vacdne (PCV)       | Prevenar 13                        | Thigh                       |  |
|  | Meningococcal group B (MenB) <sup>2</sup>   | MenB <sup>2</sup>                            | Bexsero                            | Left thigh                  |  |
|  | Rotavirus gastroenteritis   | Rotavirus                                    | Rotarix                            | By mouth                    |  |
|  | Diphtheria, tetanus, pertussis, polio and<br>Hib  | DTaP/IPV/Hib                                 | Pediacel or<br>Infanrix IPV Hib    | Thigh                       |  |
| fhree months old   | Meningococcal group C (MenC)  | MenC   | NelsVac-C                          | Thigh                       |  |
|  | Rotavirus   | Rotavirus                                    | Rotarix                            | By mouth                    |  |
|  | Diphtheria, tetanus, pertussis, polio and<br>Hib  | DTaP/IPV/HIb                                 | Pediacel or<br>Infantix IPV Hib    | Thigh                       |  |
| our months old   | MenB <sup>2</sup>   | MenB <sup>2</sup>                            | Bexsero                            | Left thigh                  |  |
|  | Pneumococcal (13 serotypes)   | PC/  | Prevenar 13                        | Thigh                       |  |
| Twelve months old  | Hib and MenC  | Hib/MenC booster                             | Menitorix                          | Upper arm/thigh             |  |
|  | Pneumococcal (13 serotypes)   | PC/ booster                                  | Prevenar 13                        | Upper arm/thigh             |  |
|  | Measles, mumps and rubella (German measles)   | MMR  | MMR VaxPRO <sup>2</sup> or Priorix | Upper arm/thigh             |  |
|  | MenB <sup>2</sup>   | MenB booster <sup>2</sup>                    | Bexsero                            | Left thigh                  |  |
| Two to six years old<br>Including children in<br>Ichool years 1 and 2) | Influenza (each year from September)  | Uve Influenza vaccine                        | Fluenz Tetra <sup>3,4</sup>        | Both nostrils               |  |
| Three years four   | Diphtheria, tetanus, pertussis and polio  | DTaP/IPV                                     | Infantix IPV or Repevax            | Upper arm                   |  |
| nonths old   | Measles, mumps and rubella  | MMR (check first dose given)                 | MMR VaxPRO <sup>2</sup> or Priorix | Upper arm                   |  |
| Sirls aged 12 to 13<br>Jears   | Cervical cancer caused by human<br>papillomavirus (HPV) types 16 and 18 (and<br>genital warts caused by types 6 and 11) | HPV (two doses 6-12 months apart)            | Gardasil                           | Upper arm                   |  |
| ourteen years old  | Tetanus, diphtheria and polio   | Td/IPV (check MMR status)                    | Revaxis                            | Upper arm                   |  |
| school year 9)   | Meningococcal groups A, C, W<br>and Y disease   | MenACWY                                      | Nimenrix or Menveo                 | Upper arm                   |  |
| 55 years old   | Pneumococcal (23 serotypes)   | Pneumococcal<br>polysaccharide vaccine (PPV) | Pneumovax II                       | Upper arm                   |  |
| 5 years of age and<br>older  | Influenza (each year from September)  | Inactivated Influenza vaccine                | Multiple                           | Upper arm                   |  |
| 70 years old   | Shingles  | Shingles                                     | Zostavax <sup>3</sup>              | Upper arm<br>(subcutaneous) |  |
|  |   |  |                                    |                             |  |

<sup>1</sup> Where two or more injections are required at once, these should ideally be given in different limbs. Where this is not possible, injections in the same limb should be given 2.5cm agart. For more details see Chapters 4 and 11 in the Green Book. All injected vaccines are given intramuzoularly unless stated otherwise. <sup>2</sup> Only for infants born on or after 1 May 2015 <sup>3</sup> Continuous and the modules.

<sup>1</sup> Contains porcine gelatine

<sup>4</sup> If Fluenz is contraindicated and child is in clinical risk group, use inactivated flu vaccine



### **CHILDHOOD IMMUNISATIONS (0-5)**

Uptake of primary Immunisations by 12 months & 24 months > the WHO 95% target and National Averages.


Pre-school booster immunisations uptake by five years (MMR2 and DTaP/IPV) are below the WHO 95% target; however well above the national average.






## **ADOLESCENT IMMUNISATIONS**

- HPV Vaccination
   Programme for School Year
   8 Girls
- School Leaving Boosters
- MenACWY










### **ADULT IMMUNISATIONS**


- Prenatal Pertussis (Whooping Cough) Vaccination for Pregnant Women
- Herpes Zoster (Shingles) Vaccination

- Pneumococcal Vaccination
- Seasonal Influenza Vaccination












## **SEASONAL INFLUENZA IMMUNISATION**


- Vaccination programme runs from September to January
- Planning led by NHS England
- Communications







Flu Ommunication 2015/16





## SEASONAL INFLUENZA IMMUNISATION UPTAKE 2014/15

|   | Over 65 % |      | Under 65 at risk<br>% |      | Pregnant<br>Women % |      | All children aged |      |       |      |      |      |  |
|---|-----------|------|-----------------------|------|---------------------|------|-------------------|------|-------|------|------|------|--|
|   |           |      |                       |      |                     |      | 2yr %             |      | 3yr % |      | 4yı  | r %  |  |
|   | 2014      | 2013 | 2014                  | 2013 | 2014                | 2013 | 2014 2013         |      | 2014  | 2013 | 2014 | 2013 |  |
| Shropshire  | 73.8      | 73.9 | 55.6                  | 56.7 | 54.2                | 55.2 | 49.0              | 53.0 | 51.7  | 50.7 | 44.9 | n/a  |  |
| NHS England<br>Staffordshire and<br>Shropshire Team | 72.2      | 72.3 | 51.8                  | 53.1 | 46.9                | 44.1 | 40.2              | 47.7 | 43.1  | 45.7 | 35.4 |      |  |
| England average                                     | 72.8      | 73.2 | 50.3                  | 52.3 | 44.1                | 39.8 | 38.5              | 42.6 | 41.3  | 39.5 | 32.9 |      |  |



### SEASONAL INFLUENZA IMMUNISATION UPTAKE 2014/15

| Organization / Truct Name                     | Uptake | Uptake | Target |
|---|--------|--------|--------|
| Organisation / Trust Name                     | %      | %      | %      |
| Shropshire Community Health NHS Trust         |        |        |        |
| (Shropcom)                                    | 67.2   | 64.8   | 75     |
| The Robert Jones and Agnes Hunt Orthopaedic   |        |        |        |
| Hospital NHS Trust                            | 55.9   | 52.1   | 75     |
| South Staffordshire and Shropshire Healthcare |        |        |        |
| NHS Foundation Trust                          | 70.0   | 64.7   | 75     |
| Shrewsbury and Telford Hospital NHS Trust     | 62.3   | 68.7   | 75     |
| Area Team Total (for all trusts HCWs)         | 67.2   | 64.8   | 75     |
| England Average                               | 54.9   | 54.8   | 75     |



### SEASONAL INFLUENZA IMMUNISATION UPTAKE 2014/15

|  | All HCWs involved in<br>direct patient care |                | All doctors<br>(including GPs) |   | All qualified nurses<br>(including GP practice<br>nurses) |   | All other professionally<br>qualified clinical staff |            | All support staff                 |             |                   |                                   |                 |       |      |
|--|---|----------------|--------------------------------|---|---|---|--|------------|-----------------------------------|-------------|-------------------|-----------------------------------|-----------------|-------|------|
| Organisation name  | No.<br>involved<br>with<br>direct           | Doses<br>given |                                | No.<br>involved Doses given<br>with<br>direct |   | to a second s |  | ses<br>ven | No.<br>involved<br>with<br>direct | Doses given |                   | No.<br>involved<br>with<br>direct | Doses given     |       |      |
|  | patient<br>care                             | No.            | %                              | patient<br>care                               | No.   | %   | patient<br>care                                      | No.        | %                                 | patient     | No.               | %                                 | patient<br>care | No.   | %    |
| Shropshire and Staffordshire Area Team Health Care Workers                   | 3,576                                       | 2,358          | 65.9                           | 1,020   | 679   | 66.6  | 741  | 511        | 69. <b>0</b>                      | 95          | 57                | 60.0                              | 1,720           | 1,111 | 64.6 |
| University Hospital Of North Staffordshire NHS<br>Trust                      | 6,336                                       | 4,972          | 78.5                           | 1,010   | 679   | 67.2  | 2,807  | 2,306      | 82.2                              | 675         | 558               | 82.7                              | 1,844           | 1,429 | 77.5 |
| Burton Hospitals NHS Foundation Trust  | 2,031                                       | 1,585          | 78.0                           | 311   | 162   | 52.1  | 1,006  | 734        | 73.0                              | 207         | 184               | 88.9                              | 507             | 505   | 99.6 |
| South Staffordshire and Shropshire Healthcare NHS Foundation Trust           | 2,155                                       | 1,509          | 70.0                           | 139   | 102   | 73.4  | 972  | 479        | 49.3                              | 602         | 553               | 91.9                              | 442             | 375   | 84.8 |
| Shropshire Community Health NHS Trust  | 1,196                                       | 804            | 67.2                           | 61  | 39  | 63.9  | 673  | 431        | 64.0                              | 243         | 128               | 52.7                              | 219             | 206   | 94.1 |
| Shrewsbury and Telford Hospital NHS Trust                                    | 4,272                                       | 2,661          | 62.3                           | 599   | 392   | <mark>65.4</mark>   | 1,870  | 943        | 50.4                              | 802         | <mark>4</mark> 81 | 60.0                              | 1,001           | 845   | 84.4 |
| Staffordshire and Stoke On Trent Partnership NHS Trust                       | 4,046                                       | 2,352          | 58.1                           | 112   | 26  | 23.2  | 1,701  | 794        | 46.7                              | 804         | 680               | 84.6                              | 1,429           | 852   | 59.6 |
| The Robert Jones and Agnes Hunt Orthopaedic<br>Hospital NHS Foundation Trust | 892   | 499            | 55.9                           | 127   | 38  | 29.9  | 334  | 167        | 50.0                              | 196         | 106               | 54.1                              | 235             | 188   | 80.0 |
| North Staffordshire Combined Healthcare NHS<br>Trust                         | 1,168                                       | 501            | 42.9                           | 55  | 52  | 94.6  | 435  | 211        | 48.5                              | 236         | 111               | 47.0                              | 442             | 127   | 28.7 |



# Immunisation

**Shropshire Profile** 

|   | tine immunisatior   | i schedule                                   | nom sur                            | nmer 2015                   |  |
|---|---|--|------------------------------------|-----------------------------|--|
| Age due   | Diseases protected against  | Vaccine given an                             | d trade name                       | Usual site <sup>1</sup>     |  |
|   | Diphtheria, tetanus, pertussis (whooping<br>cough), polio and Haemophilus<br>Influenzae type b (Hib)                    | DTaP/IPV/HIb                                 | Pediacel or<br>Infanrix IPV Hib    | Thigh                       |  |
| Two months old  | Pneumococcal (13 serotypes)   | Pneumococcal conjugate<br>vaccine (PCV)      | Prevenar 13                        | Thigh                       |  |
|   | Meningococcal group B (MenB) <sup>2</sup>   | MenB <sup>2</sup>                            | Bexsero                            | Left thigh                  |  |
|   | Rotavirus gastroenteritis   | Rotavirus                                    | Rotarix                            | By mouth                    |  |
|   | Diphtheria, tetanus, pertussis, polio and<br>Hib  | DTaP/IPV/HIb                                 | Pediacel or<br>Infanrix IPV Hib    | Thigh                       |  |
| Three months old  | Meningococcal group C (MenC)  | MenC   | NelsVac-C                          | Thigh                       |  |
|   | Rotavirus   | Rotavirus                                    | Rotarix                            | By mouth                    |  |
|   | Diphtheria, tetanus, pertussis, polio and<br>Hib  | DTaP/IPV/HIb                                 | Pediacel or<br>Infanrix IPV Hib    | Thigh                       |  |
| Four months old   | MenB <sup>2</sup>   | MenB <sup>2</sup>                            | Bexsero                            | Left thigh                  |  |
|   | Pneumococcal (13 serotypes)   | POV  | Prevenar 13                        | Thigh                       |  |
|   | Hib and MenC  | Hib/MenC booster                             | Menitorix                          | Upper arm/thigh             |  |
|   | Pneumococcal (13 serotypes)   | PCV booster                                  | Prevenar 13                        | Upper arm/thigh             |  |
| Twelve months old   | Measles, mumps and rubella (German measles)   | MMR  | MMR VaxPRO <sup>2</sup> or Priorix | Upper arm/thigh             |  |
|   | MenB <sup>2</sup>   | MenB booster <sup>2</sup>                    | Bexsero                            | Left thigh                  |  |
| Two to six years old<br>(Including children In<br>school years 1 and 2) | Influenza (each year from September)  | Uve influenza vaccine                        | Fluenz Tetra <sup>3,4</sup>        | Both nostrils               |  |
| Three years four  | Diphtheria, tetanus, pertussis and polio  | DTaP/IPV                                     | Infanrix IPV or Repevax            | Upper arm                   |  |
| months old  | Measles, mumps and rubella  | MMR (check first dose given)                 | MMR VaxPRO <sup>2</sup> or Priorix | Upper arm                   |  |
| Girls aged 12 to 13<br>years  | Cervical cancer caused by human<br>papillomavirus (HPV) types 16 and 18 (and<br>genital warts caused by types 6 and 11) | HPV (two doses 6-12 months apart)            | Gardasil                           | Upper arm                   |  |
| Fourteen years old  | Tetanus, diphtheria and polio   | Td/IPV (check MMR status)                    | Revaxis                            | Upper arm                   |  |
| (school year 9)   | Meningococcal groups A, C, W<br>and Y disease   | MenACWY                                      | Nimenrix or Menveo                 | Upper arm                   |  |
| 65 years old  | Pneumococcal (23 serotypes)   | Pneumococcal<br>polysaccharide vaccine (PPV) | Pneumovax II                       | Upper arm                   |  |
| 55 years of age and<br>older  | Influenza (each year from September)  | inactivated influenza vaccine                | Multiple                           | Upper arm                   |  |
| 70 years old  | Shingles  | Shingles                                     | Zostavax <sup>2</sup>              | Upper arm<br>(subcutaneous) |  |

<sup>1</sup> Where two or more injections are required at once, these should ideally be given in different limbs. Where this is not possible, injections in the same limb should be given 2.5cm apart. For more details see Chapters 4 and 11 in the Green Book. All injected vaccines are given intramuscularly unless stated otherwise.
<sup>2</sup> Only for infants born on or after 1 May 2015

<sup>3</sup> Contains porcine gelatine

\* If Fluenz is contraindicated and child is in clinical risk group, use inactivated flu vaccine

This page is intentionally left blank

#### Flu Vaccination Communications Report 2013/14 – Shropshire Council, Public Health

#### What have we done?

Communications:

- Letters to relevant social care staff
- Press releases Local media, Newsroom, social media, intranet (others as per communication plan), members' bulletin, VCS
- Posters/postcards/leaflets to Children's Centres, Adult Social Care team, housing teams, community groups in targeted areas
- Franking message on post
- Promotion with Theatre Severn Pantomime cast
- Promotion on Shropshire Family Information Service Twitter and Facebook
- Flu information moved to front page of Healthy Shropshire website
- Banners with flu messages located in Shirehall reception
- PPG vaccine information and promotion at county events Oswestry Show (3<sup>rd</sup> Aug) and Shrewsbury Flower Show (9<sup>th</sup> and 10<sup>th</sup> Aug)

#### Messages:

- Staff vaccination
- 'At risk' groups urged to get vaccinated
- 65 and over
- 'Ask your pharmacist week'
- Pregnant women
- Keep warm and keep well
- Festive season related
- Children aged 2 and 3
- Diabetes

#### What have we learnt?

- Start process early preparations in place (including some drafted communications) by September.
- Having a dedicated individual acting as a communications lead has been beneficial and we would recommend that this continues.
- Ensure regular messages on social media (weekly Tweets etc). Requires preparing Tweets in advance and ensuring enough to cover period of promotion. Social media is useful for soliciting the views of populace through a public platform – qualitative evidence.
- Franking process has been arduous; however, we now know how to have the message created. Need to ensure approval from directorates for principle and message (this can take time, approx. 2-3 weeks). Need to consider carefully the wording and clarity of message. Now no cost involved in process. Useful to consider for other PH promotion.
- Make use of existing networks, such as Family Information Service for reaching particular, focused audiences.
- Focused and targeted promotion in areas is beneficial for increasing rates of uptake.
- Myth busting should be a focus for next year's communications, especially for staff.

#### What will we do next season?

- Focus on myth busting
- Work with frontline staff to address concerns around the vaccine
- County-wide promotion for staff/carers
- Focus on the most vulnerable groups: over 65s, those with LTC and pregnant women
- Clarity around staff eligibility within the Council. Research has been completed around the practice of other local authorities.
- Consider use of voucher scheme for staff.
- Continued linking with partners such as Theatre Severn.

### Page 21

Overview of Shropshire Council's Communications Plan for Flu Vaccine 2013/14:

|                                 | Over 65s   | Under 65s<br>LTC   | Pregnant   | 2 and 3 yr<br>olds  | Healthcare<br>workers   | Low up-<br>take<br>areas  |
|---------------------------------|--|--|--|---|---|---|
| Press<br>Releases               | <ul> <li>On Council<br/>Newsroom.</li> <li>Information<br/>sent to<br/>Members.</li> <li>Link with<br/>Theatre<br/>Pantomime.</li> </ul>   | On Council<br>Newsroom.<br>Information<br>sent to<br>Members.<br>Photo<br>opportunity<br>with<br>Councillor<br>receiving<br>vaccine.<br>Link with<br>Theatre<br>Pantomime.   | •On Council<br>Newsroom.<br>•Information<br>sent to<br>Members.<br>•Link with<br>Theatre<br>Pantomime. | •On Council<br>Newsroom.<br>•Information<br>sent to<br>Members.                                     | •On Council<br>Newsroom.<br>•Information<br>sent to<br>Members.   | ·Information<br>sent to<br>Members.   |
| Print<br>Material               | <ul> <li>Posters,</li> <li>postcards,</li> <li>pull-up</li> <li>banners.</li> <li>Article in</li> <li>Independent</li> <li>Living</li> <li>magazine.</li> </ul>  | <ul> <li>Posters,</li> <li>postcards,</li> <li>pull-up</li> <li>banners.</li> <li>Article in</li> <li>Independent</li> <li>Living</li> <li>magazine.</li> </ul>  |  | ·Leaflets<br>delivered to<br>children's<br>centres,<br>nurseries<br>etc.                            | ·Letters to all relevant staff.   | •Targeted<br>sending of<br>posters and<br>postcards to<br>local shops,<br>centres,<br>pubs, GP<br>practice etc. |
| Radio                           |  |  | ·IG radio<br>interview.  | ·IG radio<br>interview.   |   |   |
| Meeting<br>attendance/<br>Event | ·PPG<br>promotion at<br>county<br>events   | ·PPG<br>promotion at<br>county<br>events   | ·PPG<br>promotion at<br>county<br>events   | ·PPG<br>promotion at<br>county<br>events  |   | ·Attended<br>Parish<br>Council<br>meeting   |
| Social<br>Media                 | ·Tweets from<br>Council<br>Twitter page.   | •Tweets from<br>Council<br>Twitter page.   | ·Information<br>on FIS<br>Facebook<br>and Twitter.<br>·Tweets from<br>Council<br>Twitter page.         | ·Information<br>on FIS<br>Facebook<br>and Twitter.<br>·Tweets from<br>Council<br>Twitter page.      |   | ·Information<br>sent to<br>Parish<br>website.   |
| Partners                        | <ul> <li>Information<br/>given to</li> <li>Social Care</li> <li>teams to</li> <li>distribute.</li> <li>Work with</li> <li>Theatre</li> <li>Severn and</li> <li>Radio</li> <li>Shropshire.</li> <li>Information</li> <li>shared with</li> <li>VCS.</li> </ul> | <ul> <li>Information<br/>given to</li> <li>Social Care</li> <li>teams to</li> <li>distribute.</li> <li>Work with</li> <li>Theatre</li> <li>Severn and</li> <li>Radio</li> <li>Shropshire.</li> <li>Information</li> <li>shared with</li> <li>VCS.</li> </ul> | <ul> <li>Information<br/>shared with<br/>VCS.</li> </ul>   | <ul> <li>Information<br/>shared with<br/>VCS.</li> </ul>  | ·Information<br>shared with<br>VCS.   |   |
| Franking<br>Message             | ·General<br>message for<br>Council post.   | ·General<br>message for<br>Council post.   | ·General<br>message for<br>Council post.   | ·General<br>message for<br>Council post.  | ·General<br>message for<br>Council post.  | ·General<br>message for<br>Council post.  |
| Websites                        | ·Information<br>brought to<br>front of<br>homepage<br>on Healthy<br>Shropshire<br>website.   | ·Information<br>brought to<br>front of<br>homepage<br>on Healthy<br>Shropshire<br>website.   | ·Information<br>brought to<br>front of<br>homepage<br>on Healthy<br>Shropshire<br>website.<br>·FIS.    | ·Information<br>brought to<br>front of<br>homepage<br>on Healthy<br>Shropshire<br>website.<br>·FIS. | ·Article on<br>intranet<br>·Information<br>brought to<br>front of<br>homepage on<br>Healthy<br>Shropshire<br>website. | ·Information<br>brought to<br>front of<br>homepage<br>on Healthy<br>Shropshire<br>website.                      |