

# Safety data sheet

Page: 1/14

Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 03.04.2014

Product: **Wolmanit CX-8WB**

Version: 3.0

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## Wolmanit CX-8WB

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: wood preservative

Recommended use: wood preservative, for industrial and professional users

### 1.3. Details of the supplier of the safety data sheet

Company:

Contact address:

BASF plc  
PO Box 4, Earl Road, Cheadle Hulme,  
Cheadle, Cheshire  
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to Directive 67/548/EEC or 1999/45/EC

Possible Hazards:

Causes burns.

Safety data sheet according to Regulation (EC) No. 1907/2006  
 Date / Revised: 03.04.2014  
 Product: **Wolmanit CX-8WB**

Version: 3.0

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

Harmful if swallowed.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 2.2. Label elements

According to Directive 67/548/EEC or 1999/45/EC

Directive 1999/45/EC ('Preparation Directive')

Hazard symbol(s)

C Corrosive.



N Dangerous for the environment.



R-phrases(s)

R34 Causes burns.

R22 Harmful if swallowed.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S2 Keep out of the reach of children.

S13 Keep away from food, drink and animal feeding stuffs.

S20/21 When using do not eat, drink or smoke.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Hazard determining component(s) for labelling: complexing agent based on ethanolamine and carboxylic acids (confidential), copper(II) carbonate--copper(II) hydroxide(1:1), Bis-(N-cyclohexyldiazoniumdioxo)-copper

## 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

Safety data sheet according to Regulation (EC) No. 1907/2006  
Date / Revised: 03.04.2014  
Product: **Wolmanit CX-8WB**

Version: 3.0

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

### 3.2. Mixtures

#### Chemical nature

Liquid wood preservative, based on: Copper compound

dissolved in: complexing agent based on ethanolamine and carboxylic acids (confidential)

#### Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

copper(II) carbonate--copper(II) hydroxide(1:1)

Content (W/W): 13.04 %	Acute Tox. 4 (Inhalation - dust)
CAS Number: 12069-69-1	Acute Tox. 4 (oral)
EC-Number: 235-113-6	Aquatic Acute 1
REACH registration number: 01-2119429040-56	Aquatic Chronic 1
	H332, H302, H400, H410

Bis-(N-cyclohexyldiazoniumdioxy)-copper

Content (W/W): 2.8 %	Acute Tox. 4 (oral)
CAS Number: 312600-89-8	Eye Dam./Irrit. 1
	Aquatic Acute 1
	Aquatic Chronic 1
	H318, H302, H400, H410

complexing agent based on ethanolamine and carboxylic acids (confidential)

Content (W/W): >= 20 % - <= 50 %	Acute Tox. 4 (oral)
	Skin Corr./Irrit. 1B
	H314, H302

#### Hazardous ingredients

according to Directive 1999/45/EC

copper(II) carbonate--copper(II) hydroxide(1:1)

Content (W/W): 13.04 %
CAS Number: 12069-69-1
EC-Number: 235-113-6
REACH registration number: 01-2119429040-56
Hazard symbol(s): Xn, N
R-phrases: 20/22, 50/53

Bis-(N-cyclohexyldiazoniumdioxy)-copper

Content (W/W): 2.8 %
CAS Number: 312600-89-8
Hazard symbol(s): Xn, N
R-phrases: 22, 41, 50/53

---

Safety data sheet according to Regulation (EC) No. 1907/2006  
Date / Revised: 03.04.2014  
Product: **Wolmanit CX-8WB**

Version: 3.0

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

---

complexing agent based on ethanolamine and carboxylic acids (confidential)

Content (W/W):  $\geq 20\%$  -  $\leq 50\%$

Hazard symbol(s): C

R-phrase(s): 34, 22

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: skin corrosion, Eye irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing media

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

### 5.2. Special hazards arising from the substance or mixture

---

Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 03.04.2014

Version: 3.0

Product: **Wolmanit CX-8WB**

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

Carbon dioxide, carbon monoxide, nitrogen oxides, fumes/smoke, carbon black, corrosive gases/vapours

### **5.3. Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## **SECTION 6: Accidental Release Measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good industrial hygiene and safety practice.

### **6.2. Environmental precautions**

Contain contaminated water/firefighting water. Do not allow to enter soil, waterways or waste water channels.

### **6.3. Methods and material for containment and cleaning up**

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

### **6.4. Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## **SECTION 7: Handling and Storage**

### **7.1. Precautions for safe handling**

Avoid contact with the skin, eyes and clothing. Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws. Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

No special precautions necessary.

### **7.2. Conditions for safe storage, including any incompatibilities**

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store protected against freezing.

Frost sensitive

### **7.3. Specific end use(s)**

---

Safety data sheet according to Regulation (EC) No. 1907/2006  
Date / Revised: 03.04.2014  
Product: **Wolmanit CX-8WB**

Version: 3.0

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

#### Components with occupational exposure limits

141-43-5: 2-aminoethanol; ethanolamine

TWA value 2.5 mg/m<sup>3</sup> ; 1 ppm (WEL/EH 40 (UK))

STEL value 7.6 mg/m<sup>3</sup> ; 3 ppm (WEL/EH 40 (UK))

TWA value 2.5 mg/m<sup>3</sup> ; 1 ppm (OEL (EU))

indicative

STEL value 7.6 mg/m<sup>3</sup> ; 3 ppm (OEL (EU))

indicative

Skin Designation (OEL (EU))

The substance can be absorbed through the skin.

Skin Designation (WEL/EH 40 (UK))

The substance can be absorbed through the skin.

### 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

---

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	blue
Odour:	faint specific odour
Odour threshold:	No applicable information available.
pH value:	approx. 9.6 (20 g/kg)
:	The product has not been tested.
boiling temperature:	> 100 °C
Flash point:	Non-flammable.
Flammability:	not flammable
Flammability of Aerosol Products:	not applicable, the product does not form flammable aerosoles
Lower explosion limit:	dropped
Vapour pressure:	not applicable
Density:	approx. 1.2 g/cm <sup>3</sup> (20 °C)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	approx. 30 mPa.s (20 °C)
Explosion hazard:	not explosive

### 9.2. Other information

Miscibility with water:  
(20 °C)  
miscible in all proportions

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

#### **10.4. Conditions to avoid**

See MSDS section 7 - Handling and storage.

#### **10.5. Incompatible materials**

Substances to avoid:  
strong oxidizing agents, strong reducing agents

#### **10.6. Hazardous decomposition products**

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

### **SECTION 11: Toxicological Information**

#### **11.1. Information on toxicological effects**

##### Acute toxicity

Experimental/calculated data:  
LD50 rat (oral): approx. 500 mg/kg (OECD Guideline 401)

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

##### Irritation

Experimental/calculated data:  
Skin corrosion/irritation rabbit: Corrosive. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Risk of serious damage to eyes. (OECD Guideline 405)

##### Respiratory/Skin sensitization

Experimental/calculated data:  
Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

##### Germ cell mutagenicity

Assessment of mutagenicity:  
Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

##### Carcinogenicity

Assessment of carcinogenicity:  
Not expected to be carcinogenic (based on composition).

##### Reproductive toxicity

Assessment of reproduction toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Developmental toxicity

##### Assessment of teratogenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

##### Assessment of repeated dose toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

## **SECTION 12: Ecological Information**

### **12.1. Toxicity**

#### Toxicity to fish:

LC50 (96 h)  $\leq$  1 mg/l, Brachydanio rerio (OECD Guideline 203, static)

#### Aquatic invertebrates:

LC50 (48 h)  $<$  1 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

#### Aquatic plants:

EC50 (72 h)  $<$  1 mg/l, Selenastrum capricornutum (OECD Guideline 201)

#### Microorganisms/Effect on activated sludge:

EC50 (3 h) approx. 50 mg/l (OECD Guideline 209)

### **12.2. Persistence and degradability**

#### Assessment biodegradation and elimination (H<sub>2</sub>O):

The ingredients based on copper can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

### **12.3. Bioaccumulative potential**

#### Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

### **12.4. Mobility in soil**

---

Safety data sheet according to Regulation (EC) No. 1907/2006  
Date / Revised: 03.04.2014  
Product: **Wolmanit CX-8WB**

Version: 3.0

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

Assessment transport between environmental compartments:  
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

### 12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

### 12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

### 12.7. Additional information

Other ecotoxicological advice:

The product should not be allowed to reach either sewage waters or water purification plants. The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

This material and its container must be disposed of in a safe way.  
Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## SECTION 14: Transport Information

### Land transport

ADR

UN number: UN1760  
UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
Transport hazard class(es): 8, EHSM

Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 03.04.2014

Version: 3.0

Product: **Wolmanit CX-8WB**

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

Packing group: II  
 Environmental hazards: yes  
 Special precautions for user: Tunnel code: E

**RID**

UN number: UN1760  
 UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
 Transport hazard class(es): 8, EHSM  
 Packing group: II  
 Environmental hazards: yes  
 Special precautions for user: None known

**Inland waterway transport****ADN**

UN number: UN1760  
 UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
 Transport hazard class(es): 8, EHSM  
 Packing group: II  
 Environmental hazards: yes  
 Special precautions for user: None known  
 Transport in inland waterway vessel: Not evaluated

**Sea transport****IMDG**

UN number: UN 1760  
 UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
 Transport hazard class(es): 8, EHSM  
 Packing group: II  
 Environmental hazards: yes  
 Marine pollutant: YES  
 Special precautions for user: None known

**Air transport****IATA/ICAO**

UN number: UN 1760

---

Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 03.04.2014

Version: 3.0

Product: **Wolmanit CX-8WB**

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
Transport hazard class(es): 8  
Packing group: II  
Environmental hazards: No Mark as dangerous for the environment is needed  
Special precautions for user: None known

#### **14.1. UN number**

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Regulation: Not evaluated  
Shipment approved: Not evaluated  
Pollution name: Not evaluated  
Pollution category: Not evaluated  
Ship Type: Not evaluated

#### **Further information**

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

---

## **SECTION 15: Regulatory Information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Safety data sheet according to Regulation (EC) No. 1907/2006  
 Date / Revised: 03.04.2014  
 Product: **Wolmanit CX-8WB**

Version: 3.0

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### Biocidal Products Directive 98/8/EC

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

---

## SECTION 16: Other Information

In addition to the information given in the safety data sheet we refer to the product specific 'Technical Information'.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xn	Harmful.
N	Dangerous for the environment.
C	Corrosive.
20/22	Harmful by inhalation and if swallowed.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
22	Harmful if swallowed.
41	Risk of serious damage to eyes.
34	Causes burns.
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Corr./Irrit.	Skin corrosion/irritation
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H314	Causes severe skin burns and eye damage.

If you have any queries relating to this MSDS, its contents or any other product safety related questions, please write to the following e-mail address: [product-safety-north@basf.com](mailto:product-safety-north@basf.com)

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's

---

Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 03.04.2014

Product: **Wolmanit CX-8WB**

Version: 3.0

(ID no. 50128694/SDS\_GEN\_GB/EN)

Date of print 08.01.2015

properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.